



NAMING OF BASIC ACCESSORIES FOR TRACK 3-LINE SYSTEM



3 - LINE


track 3-Line





- 12 ACCESORIES FOR TRACK 3 LINE
- 20 EIGER TRACK
- 21 MEGARA TRACK
- 22 LOLO TRACK
- 23 GULIA TRACK
- 24 SANTOS TRACK
- 26 KIRKE TRACK CCT
- 27 GALILEO TRACK
- 28 LUMI TRACK
- 28 LUMI FLEX TRACK
- 30 COSTA ARM TRACK
- 31 COSTA TRACK
- 32 JERRY TRACK
- 33 JANE TRACK
- 34 MIKKA TRACK
- 35 MONA TRACK
- 36 LINNEA TRACK CCT
- 38 EREBUS TRACK
- 38 EREBUS TUBE
- 39 TIVOLI TRACK
- 40 BROSS ARM TRACK
- 41 EXO TRACK
- 42 LENS TRACK
- 43 SANTOS SQUARE TRACK
- 44 SKYE TRACK
- 45 LEON TRACK

TRACK 3-LINE

Accessories for Track 3 Line




Example of the connection between track



TRACKS (1m, 1,5m, 2m, 3m)

	TRACK 1m (BLACK)	AZ2973
	TRACK 1m (WHITE)	AZ2974
	TRACK 1,5m (BLACK)	AZ3000
	TRACK 1,5m (WHITE)	AZ2999
	TRACK 2m (BLACK)	AZ2975
	TRACK 2m (WHITE)	AZ2976
	TRACK 3m (BLACK)	AZ4272
	TRACK 3m (WHITE)	AZ4271





Track Set (1m, 1,5m, 2m)

with THE END POWER + END CAP (All included)

	TRACK SET 1m (BLACK)	AZ2987
	TRACK SET 1m (WHITE)	AZ2991
	TRACK SET 1,5m (BLACK)	AZ3001
	TRACK SET 1,5m (WHITE)	AZ3002
	TRACK SET 2m (BLACK)	AZ2992
	TRACK SET 2m (WHITE)	AZ2988



Available options for installation place – surface-mounted, flush-mounted and suspended



TRACKS GIPS (1m, 2m, 3m)

- TRACK GIPS 1m (BLACK) **AZ4290**
- TRACK GIPS 1m (WHITE) **AZ4289**
- TRACK GIPS 2m (BLACK) **AZ4292**
- TRACK GIPS 2m (WHITE) **AZ4291**
- TRACK GIPS 3m (BLACK) **AZ4294**
- TRACK GIPS 3m (WHITE) **AZ4293**



MINI SIMPLE CONNECTION

- MINI SIMPLE CONNECTION (BLACK) **AZ2981**
- MINI SIMPLE CONNECTION (WHITE) **AZ2982**




TRACK 3-LINE

Accessories for Track 3 Line




End Power (Left, Right)

- END POWER RIGHT (BLACK)AZ4116
- END POWER RIGHT (WHITE)AZ4117
- END POWER LEFT (BLACK)AZ4284
- END POWER LEFT (WHITE)AZ4283





Power

- POWER (BLACK)AZ4274
- POWER (WHITE)AZ4273




L Connector (Left, Right)


- L CONNECTOR RIGHT (BLACK)AZ2983
- L CONNECTOR RIGHT (WHITE)AZ2984
- L CONNECTOR LEFT (BLACK)AZ2985
- L CONNECTOR LEFT (WHITE)AZ2986



T Connector (Left, Right)

- T CONNECTOR LEFT (BLACK)AZ4276
- T CONNECTOR LEFT (WHITE)AZ4275
- T CONNECTOR RIGHT (BLACK)AZ4278
- T CONNECTOR RIGHT (WHITE)AZ4277






End Power Gips (Left, Right)

- END POWER GIPS RIGHT (BLACK)AZ4304
- END POWER GIPS RIGHT (WHITE)AZ4303
- END POWER GIPS LEFT (BLACK)AZ4310
- END POWER GIPS LEFT (WHITE)AZ4309





LEFT



Power Gips

- POWER GIPS (BLACK)AZ4296
- POWER GIPS (WHITE)AZ4295




L Connector Gips (only Right)

- L CONNECTOR GIPS RIGHT (BLACK)AZ4298
- L CONNECTOR GIPS RIGHT (WHITE)AZ4297




LEFT



T Connector Gips (only Right)


- T CONNECTOR GIPS RIGHT (BLACK)AZ4300
- T CONNECTOR GIPS RIGHT (WHITE)AZ4299



LEFT


TRACK 3-LINE

Accessories for Track 3 Line




X Connector

- ☒ X CONNECTOR (BLACK)AZ4280
- ☐ X CONNECTOR (WHITE)AZ4279




Power Adjustable Connector

- ☒ POWER ADJUSTABLE CONNECTOR (BLACK)AZ4286
- ☐ POWER ADJUSTABLE CONNECTOR (WHITE)AZ4285




Track 3-Line Pendant Accessory 1.5m


- ☒ TRACK 3LINE PENDANT ACCESSORY 1.5M (BLACK)AZ4797
- ☐ TRACK 3LINE PENDANT ACCESSORY 1.5M (WHITE)AZ4796



Ceiling Plate + Wire



- ☒ CEILING PLATE + WIRE (BLACK)AZ4780
- ☐ CEILING PLATE + WIRE (WHITE)AZ4782






X Connector Gips

- X CONNECTOR GIPS (BLACK)AZ4302
- X CONNECTOR GIPS (WHITE)AZ4301



Flexible Connector

- FLEXIBLE CONNECTOR (BLACK)AZ4282
- FLEXIBLE CONNECTOR (WHITE)AZ4281



End Cap

- END CAP (BLACK)AZ4288
- END CAP (WHITE)AZ4287






Diagram showing the correct way to connect accessories to busbars (trackline)

The orange line indicates polarity of the system (observe earth contact)





EIGER TRACK

Track 3 Line



BK *



EIGER TRACK 3 LINE GU10

bulb not included

voltage: 230V	GU10 1x Max. 50W	
IP20		
	installation: Track 3 Line	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4205**
- BLACK / GOLD (BK/GO) **AZ4206**
- WHITE (WH) **AZ4204**






WH *





WH

BK



MEGARA TRACK 3 LINE GU10

bulb not included 

voltage: 230V	GU10 2x Max. 50W	
IP20		
	installation: Track 3 Line	

COLOUR / NEW INDEX NO.

-  BLACK (BK) **AZ4443**
-  WHITE (WH) **AZ4442**



LOLO TRACK

Track 3 Line



BK *



LOLO TRACK 3 LINE GU10

bulb not included

voltage: 230V	GU10 1x Max. 50W	
IP20	installation: Track 3 Line	

COLOUR / NEW INDEX NO.

- ☒ BLACK (BK) **AZ4577**
☐ WHITE (WH) **AZ4578**



WH



BK










GO *



GULIA TRACK TRACK 3-LINE GU10

bulb not included 

voltage: 230V	LED GU10 1x Max. 50W	
IP20	installation place: Track 3 Line	

COLOUR / NEW INDEX NO.

-  BLACK (BK) **AZ4710**
-  WHITE (WH) **AZ4709**
-  GOLD (GO) **AZ4711**



SANTOS TRACK

Track 3 Line



BK *


SANTOS TRACK 3 LINE GU10

bulb not included

voltage: 230V	GU10 1x Max. 50W
IP20	
technical specification	installation: Track 3 Line

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4203**
 WHITE (WH) **AZ4202**



TILT 90°

ROTATION 350°



BK / BK

WH / WH





BK / BK *

SANTOS TRACK 3 LINE 12W 3000K

LED integrated

voltage: 230V

IP20

technical
specification



LED 12W 950lm 3000K



LED

installation place: Track 3 Line

beam angle: 60°

COLOUR / NEW INDEX NO.

- BLACK / BLACK (BK/BK) **AZ4183**
- WHITE / WHITE (WH / WH) **AZ4184**
- BLACK / GOLD (BK / GO) **AZ2924**
- WHITE / GOLD (WH / GO) **AZ2925**



KIRKE TRACK CCT SWITCH



Track 3 Line



BK *



WH

BK

KIRKE TRACK 3 LINE 10W CCT SWITCH

LED integrated

voltage: 230V

IP20

technical

specification



LED 10W 800lm

3000K | 4000K | 5500K CCT

installation: Track 3 Line


beam angle: 40°

LED

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ4658**

□ WHITE (WH) **AZ4659**



TILT 90°

ROTATION 350°





WH *

GALILEO TRACK 3 LINE 15W 3000K

LED integrated

voltage: 230V

IP20

technical

specification



LED 15W 1200lm 3000K

LED

installation place: Track 3 Line


beam angle: 12°÷ 35°



COLOUR / NEW INDEX NO.

☐ WHITE (WH) **AZ4066**

☒ BLACK (BK) **AZ4067**



12° 35°




ADJUSTABLE BEAM ANGLE

TILT 90°

ROTATION 360°



WH



BK



Track 3 Line



LUMI TRACK 3 LINE 3000K

LED integrated

voltage: 230V

IP20

technical

specification



LED 5W 500lm 3000K


LED

installation: Track 3 Line

adjustable beam angle: 19°÷ 70°




COLOUR / NEW INDEX NO.

☐ WHITE FINISH SHINING (WH) **AZ4558**
☒ BLACK FINISH SHINING (BK) **AZ4557**


ADJUSTABLE BEAM ANGLE

TILT 90°

ROTATION 350°



LUMI FLEX TRACK 3 LINE 3000K

LED integrated

voltage: 230V

IP20

technical

specification



LED 5W 500lm 3000K


LED

installation: Track 3 Line

adjustable beam angle: 19°÷ 70°



COLOUR / NEW INDEX NO.


☐ WHITE FINISH SHINING (WH) **AZ4560**
☒ BLACK FINISH SHINING (BK) **AZ4559**



ADJUSTABLE BEAM ANGLE

ROTATION 360°



* - EXPLANATION SHORTCUT PAGE 2 (E)





Track 3 Line



COSTA ARM TRACK 3 LINE 12W

LED integrated

voltage: 230V

IP20

technical

specification




LED 12W 1020lm 3000K

LED

installation place: Track Electric 3 Line

beam angle: 25°

COLOUR / NEW INDEX NO.

☐ WHITE / WHITE (WH / WH) **AZ3487**
☒ BLACK / BLACK (BK / BK) **AZ3486**


TILT 90°

ROTATION 360°





COSTA TRACK 3 LINE 12W 3000K / 4000K

LED integrated

voltage: 230V

IP20

technical

specification



LED 12W 1100lm 3000K

LED 12W 1100lm 4000K



installation place: Track 3 Line

beam angle: 25°

LED

COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) **AZ4550**
- ☒ 3000K BLACK (BK) **AZ4549**
- ☐ 4000K WHITE (WH) **AZ4552**
- ☒ 4000K BLACK (BK) **AZ4551**





BK *



JERRY TRACK 3 LINE ES111

bulb not included ☒

voltage: 230V	connect 1x ES111 MAX 50W	<input checked="" type="checkbox"/>
IP20		
	installation place – track 3 x line	<input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ2459**
- ☒ BLACK (BK) **AZ2458**





BK *



WH

BK

JANE TRACK 3 LINE GU10



bulb not included ☒

voltage: 230V	connect 1x GU10 MAX 50W	<input type="checkbox"/>
IP20		
	installation place – track 3 x line	<input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

☐ WHITE (WH) **AZ2460**

☒ BLACK (BK) **AZ2457**



MIKKA TRACK



Track 3 Line



BK *

MIKKA TRACK 3 LINE 3000K

LED integrated

voltage: 230V

LED 24W 1700lm 3000K

IP20



technical


specification

LED

installation: Track 3 Line

beam angle: 120°

COLOUR / NEW INDEX NO.

 BLACK (BK) **AZ4516**


TILT 40°

ROTATION 350°



* - EXPLANATION SHORTCUT PAGE 2 (E)

AZzardo®



BK *

MONA TRACK 3 LINE 12W 3000K / 4000K

LED integrated

voltage: 230V

IP20

technical
specification



LED 12W 1000lm 3000K

LED 12W 1000lm 4000K

installation: Track 3 Line


beam angle: 120°

LED



COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) **AZ4541**
- ☒ 3000K BLACK (BK) **AZ4542**
- ☐ 4000K WHITE (WH) **AZ4544**
- ☒ 4000K BLACK (BK) **AZ4543**



TILT 80°

ROTATION 350°



WH *

MONA TRACK 3 LINE 18W 3000K

LED integrated

voltage: 230V

IP20

technical
specification



LED 18W 1500lm 3000K

installation: Track 3 Line


beam angle: 120°

LED



COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ4548**
- ☒ BLACK (BK) **AZ4547**



TILT 80°

ROTATION 350°



WH



WH



BK



BK



LINNEA TRACK CCT SWITCH



Track 3 Line



BK *

LINNEA 29 TRACK 12W CCT SWITCH

LED integrated

voltage: 230V

IP20

technical

specification



LED 12W 700lm



3000K | 4000K | 5000K CCT

installation: Track 3 Line

beam angle: 120°

LED

COLOUR / NEW INDEX NO.

☐ WHITE (WH) **AZ4564**
☒ BLACK (BK) **AZ4563**


BK *

LINNEA 86 TRACK 3 LINE 36W CCT SWITCH

LED integrated

voltage: 230V

IP20

technical

specification



LED 36W 2000lm



3000K | 4000K | 5000K CCT

installation: Track 3 Line

beam angle: 120°

LED

COLOUR / NEW INDEX NO.

☐ WHITE (WH) **AZ4568**
☒ BLACK (BK) **AZ4567**


* - EXPLANATION SHORTCUT PAGE 2 (E)

Azzardo®


BK *

LINNEA 57 TRACK 3 LINE 24W CCT SWITCH

LED integrated

voltage: 230V

IP20

technical

specification



LED 24W 1400lm



3000K | 4000K | 5000K CCT

installation: Track 3 Line

beam angle: 120°

LED

COLOUR / NEW INDEX NO.

☐ WHITE (WH) **AZ4566**
☒ BLACK (BK) **AZ4565**


SWITCH 3000/4000/5000K



EREBUS TRACK

Track 3 Line





EREBUS TRACK

bulb not included

voltage: 230V	LED GU10 1xMax 35W
IP20	
	installation place: Track Electric 3 Line

COLOUR / NEW INDEX NO.


- WHITE (WH) **AZ3390**
- BLACK (BK) **AZ3391**



EREBUS TUBE


TUBE 14

- WHITE (WH) **AZ3383**
- BLACK (BK) **AZ3384**
- GOLD (GO) **AZ3385**



TUBE 21

- WHITE (WH) **AZ3386**
- BLACK (BK) **AZ3387**
- GOLD (GO) **AZ3388**





WH *

TIVOLI TRACK 10W 3000K/4000K

LED integrated

voltage: 230V

IP20

technical

specification



LED 10W 3000K RA \geq 90 840lm

LED 10W 4000K RA \geq 90 880lm


installation: Track 3 Line

beam angle: 60°

LED

COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) **AZ2222**
- ☐ 3000K BLACK (BK) **AZ2224**
- ☐ 4000K WHITE (WH) **AZ2223**
- ☐ 4000K BLACK (BK) **AZ2225**



TILT 90°

ROTATION 350°



BK

WH





BROSS ARM TRACK

Track 3 Line




BROSS ARM TRACK

bulb not included 

voltage: 230V	LED GU10 1xMax 35W
IP20	
	installation place: Track Electric 3 Line 

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ3500**
☒ BLACK (BK) **AZ3501**



AZZARDO PATENT EU

TILT 90°

ROTATION 360°








BK *

EXO TRACK

voltage: 230V	LED GU10 1xMax 35W	bulb not included <input checked="" type="checkbox"/>
IP20		
	installation place: Track Electric 3 Line	<input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

- ☒ BLACK (BK) **AZ3199**
- ☐ WHITE (WH) **AZ3200**



LENS TRACK

Track 3 Line



BK/BK *




LENS TRACK

bulb not included ☒

voltage: 230V	LED GU10 1xMax 35W	<input type="checkbox"/>
IP20		
	installation place: Track Electric 3 Line	<input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

- ☐ WHITE / WHITE (WH/WH) **AZ3510**
- ☒ BLACK / BLACK (BK/BK) **AZ3511**
- ☒ BLACK / GOLD (BK/GO) **AZ3512**




WH/WH

BK/BK

BK/GO



BK *



WH

BK

SANTOS SQUARE TRACK

LED integrated

voltage: 230V

LED 12W 1020lm 3000K

IP20



technical

specification

installation: Track 3 Line


beam angle: 60°

LED

COLOUR / NEW INDEX NO.

☐ WHITE (WH) **AZ3524**

☒ BLACK (BK) **AZ3525**



TILT 90°

ROTATION 360°



Track 3 Line



WH *

SKYE TRACK 3 LINE 3000K

LED integrated

voltage: 230V

LED 12W 1300lm 3000K

IP20



technical


installation place: Track 3 Line

specification

beam angle: 60°

LED

COLOUR / NEW INDEX NO.


☐ WHITE (WH) **AZ4519**
☒ BLACK (BK) **AZ4520**


WH



BK





LEON 5 TRACK

LED integrated

voltage: 230V

LED 12W 1020lm 3000K

IP20

LED

technical

installation place: Track Electric 3 Line

specification

beam angle: 60°

COLOUR / NEW INDEX NO.

WHITE (WH). **AZ3490**

BLACK (BK). **AZ3491**

