



NAMING OF BASIC ACCESSORIES FOR TRACK MAGNETIC SYSTEM



MAGNETIC

track Magnetic




- 48 ACCESORIES FOR TRACK MAGNETIC
- 55 BLUETOOTH GATEWAY/REMOTE SMART
- 56 MAKITA CCT SMART
- 58 SAGA TRACK SMART
- 59 SONYA SMART CCT
- 60 KERRY SMART CCT
- 61 KIRA SMART CCT
- 62 SAGA TRACK
- 64 SAGA TRACK CORNER
- 66 KIRA TRACK
- 68 NIKKI TRACK
- 69 NIKO TRACK
- 70 ALDO TRACK
- 71 SKYE TRACK PENDANT
- 72 ELIN TRACK
- 73 ELSA TRACK
- 74 MAYA TRACK
- 75 KORI TRACK

TRACK MAGNETIC

Accessories for Track Magnetic

Example of the connection between track




01 Insert the MECHANICAL CONNECTOR (B) into the TRACK (A).

02 Tighten the screw between A and B.

03 Slide and fasten TRACK (C) to the MECHANICAL CONNECTOR (B).

04 Put STRAIGHT CONNECTOR ELECTRIC (D) between the two connected tracks (A+C).



Track Magnetic 27 (1m, 1,5m, 2m, 3m) WITH END CAP 2X (ALL INCLUDED)



	TRACK 27 1m (BLACK)	.AZ4713
	TRACK 27 1m (WHITE)	.AZ4712
	TRACK 27 1,5m (BLACK)	.AZ4715
	TRACK 27 1,5m (WHITE)	.AZ4714
	TRACK 27 2m (BLACK)	.AZ4717
	TRACK 27 2m (WHITE)	.AZ4716
	TRACK 27 3m (BLACK)	.AZ4719
	TRACK 27 3m (WHITE)	.AZ4718



Track Magnetic 52 (1m, 1,5m, 2m, 3m) WITH END CAP 2X (ALL INCLUDED)


	TRACK 52 1m (BLACK)	.AZ4638
	TRACK 52 1m (WHITE)	.AZ4639
	TRACK 52 1,5m (BLACK)	.AZ4640
	TRACK 52 1,5m (WHITE)	.AZ4641
	TRACK 52 2m (BLACK)	.AZ4642
	TRACK 52 2m (WHITE)	.AZ4643
	TRACK 52 3m (BLACK)	.AZ4644
	TRACK 52 3m (WHITE)	.AZ4645

Available options for installation place – surface-mounted, flush-mounted and suspended



Track Magnetic 52 Gips1 (1m, 1,5m, 2m) WITH END CAP 2X (ALL INCLUDED)

- TRACK 52 GIPS1 1m (BLACK)AZ4863
- TRACK 52 GIPS1 1,5m (BLACK)AZ4864
- TRACK 52 GIPS1 2m (BLACK)AZ4865



Track Magnetic 52 Gips2 (1m, 1,5m, 2m) WITH END CAP 2X (ALL INCLUDED)

- TRACK 52 GIPS2 1m (BLACK)AZ4646
- TRACK 52 GIPS2 1m (WHITE)AZ4647
- TRACK 52 GIPS2 1,5m (BLACK)AZ4648
- TRACK 52 GIPS2 1,5m (WHITE)AZ4649
- TRACK 52 GIPS2 2m (BLACK)AZ4650
- TRACK 52 GIPS2 2m (WHITE)AZ4651



TRACK MAGNETIC

Accessories for Track Magnetic



Track Magnetic 52 Inner Corner90
SURFACE INNER CORNER 90°

- ☒ INNER CORNER 90 (BLACK)AZ4683
- ☐ INNER CORNER 90 (WHITE)AZ4684



Track Magnetic 52 Corner90

- ☒ CORNER90 (BLACK)AZ4679
- ☐ CORNER90 (WHITE)AZ4680




Track Magnetic 27 Inner Corner90

- ☒ 27 INNER CORNER 90 (BLACK)AZ5001
- ☐ 27 INNER CORNER 90 (WHITE)AZ5002



Track Magnetic 27 Corner90


- ☒ 27 CORNER 90 (BLACK)AZ5003
- ☐ 27 CORNER 90 (WHITE)AZ5004







Track Magnetic 52 Gips2 Inner Corner90 SURFACE INNER CORNER 90°

- 152 GIPS2 INNER CORNER90 (BLACK)AZ4685
- 52 GIPS2 INNER CORNER90 (WHITE)AZ4686




Track Magnetic 52 Gips2 Corner90

- 52 GIPS2 CORNER90 (BLACK)AZ4681
- 52 GIPS2 CORNER90(WHITE)AZ4682




Track Magnetic 52 Gips1 Corner90

- 52 GIPS1 CORNER90 (BLACK)AZ4862




Track Magnetic Flex Connector Electric

- FLEX CONNECTOR ELECTRIC (BLACK)AZ4687
- FLEX CONNECTOR ELECTRIC (WHITE)AZ4688





TRACK MAGNETIC

Accessories for Track Magnetic




Track Magnetic Driver Insight (60W; 100W; 200W)

<input checked="" type="checkbox"/>	DRIVER INSIGHT 60W (BLACK)	AZ4669
<input type="checkbox"/>	DRIVER INSIGHT 60W (WHITE)	AZ4670
<input checked="" type="checkbox"/>	DRIVER INSIGHT 100W (BLACK)	AZ4671
<input type="checkbox"/>	DRIVER INSIGHT 100W (WHITE)	AZ4672
<input checked="" type="checkbox"/>	DRIVER INSIGHT 200W (BLACK)	AZ4673
<input type="checkbox"/>	DRIVER INSIGHT 200W (WHITE)	AZ4674





Track Magnetic Straight Connector

<input checked="" type="checkbox"/>	STRAIGHT CONNECTOR (BLACK)	AZ4677
<input type="checkbox"/>	STRAIGHT CONNECTOR (WHITE)	AZ4678



Track Magnetic Mechanical Connector

<input checked="" type="checkbox"/>	MECHANICAL CONNECTOR (BLACK)	AZ4689
<input type="checkbox"/>	MECHANICAL CONNECTOR (WHITE)	AZ4690



Track Magnetic Suspension Kit 2m


<input checked="" type="checkbox"/>	TRACK MAGNETIC SUSPENSION KIT 2m (BLACK)	AZ4693
<input type="checkbox"/>	TRACK MAGNETIC SUSPENSION KIT 2m (WHITE)	AZ4694






Track Magnetic Driver Meanwell 48V 100W / 200W / 350W

- DRIVER MEANWELL (100W) **AZ4691**
- DRIVER MEANWELL (200W) **AZ4692**
- DRIVER MEANWELL (350W) **AZ4866**





Track Magnetic Power Supply Case

- ☒ POWER SUPPLY CASE (BLACK) **AZ4675**
- ☐ POWER SUPPLY CASE (WHITE) **AZ4676**




Track Magnetic Cover 1m

- ☒ COVER 1m (BLACK) **AZ4652**
- ☐ COVER 1m (WHITE) **AZ4653**




Ceiling Plate + Wire

- ☒ CEILING PLATE + WIRE (BLACK) **AZ4780**
- ☐ CEILING PLATE + WIRE (WHITE) **AZ4782**




TRACK MAGNETIC

Track Magnetic



Track Magnetic 27 Cover Power Driver Insight

- MAGNETIC 27 COVER (BLACK) **AZ4860**
- MAGNETIC 27 COVER (WHITE) **AZ4661**




How the Bluetooth gateway to work

The Bluetooth gateway connects to the Internet via the WiFi signal from the router, thanks to which you can remotely control the lamps or devices settings via the AzzardoSMART application. Being at home, you can control the devices using a special AzzardoSMART remote control or from any device (phone, tablet, computer) that has access to the Wifi network.

Bluetooth Gateway Smart

AZ4856



Track Magnetic Bluetooth Remote Smart

AZ4857



MAKITA TRACK MAGNETIC 7W CCT SMART

LED integrated

voltage: 48V

IP20

technical
specification


LED 7W 550lm CCT

LED

installation: Track Magnetic – 52 or 27

beam angle: 40°

COLOUR / NEW INDEX NO.

 SAND BLACK (BK) **AZ4836**


MAKITA 2 TRACK MAGNETIC 2X 7W CCT SMART

LED integrated

voltage: 48V

IP20

technical
specification


LED 2x 7W 550lm CCT

LED

installation: Track Magnetic – 52 or 27

beam angle: 40°

COLOUR / NEW INDEX NO.

 SAND BLACK (BK) **AZ4838**


TILT 90° ROTATION 360°

* - EXPLANATION SHORTCUT PAGE 2 (E)

TILT 90° ROTATION 360°



MAKITA TRACK MAGNETIC 20W CCT SMART

LED integrated

voltage: 48V

LED 20W 1560lm CCT

IP20



LED

technical



installation: Track Magnetic – 52 or 27

specification

beam angle: 40°

COLOUR / NEW INDEX NO.

SAND BLACK (BK) **AZ4840**



MAKITA TRACK MAGNETIC 30W CCT SMART

LED integrated

voltage: 48V

LED 30W 2340lm CCT

IP20



LED

technical



installation: Track Magnetic – 52 or 27

specification

beam angle: 40°

COLOUR / NEW INDEX NO.

SAND BLACK (BK) **AZ4842**



Track Magnetic



SAGA TRACK MAGNETIC 12W MILKY120 CCT SMART

LED integrated 

voltage: 48V

LED 12W 600lm CCT

IP20


technical
specification

LED

installation: Track Magnetic – 52 or 27

beam angle: 120°

COLOUR / NEW INDEX NO.

 SAND BLACK (BK) **AZ4846**


SAGA TRACK MAGNETIC 20W MILKY120 CCT SMART

LED integrated 

voltage: 48V

LED 20W 1100lm CCT

IP20


technical
specification

LED

installation: Track Magnetic – 52 or 27

beam angle: 120°

COLOUR / NEW INDEX NO.

 SAND BLACK (BK) **AZ4848**


SAGA TRACK MAGNETIC 36W MILKY120 CCT SMART

LED integrated 

voltage: 48V

LED 36W 1900lm CCT

IP20


technical
specification

LED

installation: Track Magnetic – 52 or 27

beam angle: 120°

COLOUR / NEW INDEX NO.

 SAND BLACK (BK) **AZ4850**




SONYA TRACK MAGNETIC CCT SMART

LED integrated 

voltage: 48V

IP20

technical

specification



LED 20W 2100lm CCT



LED

installation: Track Magnetic – 52 or 27

beam angle: 60°

COLOUR / NEW INDEX NO.

 SAND BLACK (BK) **AZ4844**





KERRY TRACK MAGNETIC 5W CCT SMART

LED integrated

voltage: 48V

IP20

technical
specification


LED 5W 550lm CCT

LED

installation: Track Magnetic – 52 or 27

beam angle: 40°

COLOUR / NEW INDEX NO.

 SAND BLACK (BK) **AZ4852**


KERRY TRACK MAGNETIC 15W CCT SMART

LED integrated

voltage: 48V

IP20

technical
specification


LED 15W 1220lm CCT


LED

installation: Track Magnetic – 52 or 27

beam angle: 60°

COLOUR / NEW INDEX NO.

 SAND BLACK (BK) **AZ4854**




KIRA TRACK MAGNETIC 12W POINTS50 CCT SMART

LED integrated

voltage: 48V

IP20

technical

specification



LED 12W 1150lm



installation: Track Magnetic – 52 or 27

beam angle: 50°



COLOUR / NEW INDEX NO.

BLACK (BK) **AZ4901**



KIRA TRACK MAGNETIC 20W POINTS50 CCT SMART

LED integrated

voltage: 48V

IP20

technical

specification



LED 24W 1450lm



installation: Track Magnetic – 52 or 27

beam angle: 50°



COLOUR / NEW INDEX NO.

BLACK (BK) **AZ4902**



KIRA TRACK MAGNETIC 30W POINTS50 CCT SMART

LED integrated

voltage: 48V

IP20

technical

specification



LED 24W 1750lm



installation: Track Magnetic – 52 or 27

beam angle: 50°



COLOUR / NEW INDEX NO.

BLACK (BK) **AZ4903**



Track Magnetic

**SAGA TRACK MAGNETIC 12W MILKY120**

3000K / 4000K

LED integrated 

voltage: 48V

IP20

technical

specification



LED 12W 550lm 3000K

LED 12W 600lm 4000K


installation: Track Magnetic – 52 or 27

beam angle: 120°



COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) **AZ4604**
- ☒ 3000K BLACK (BK) **AZ4603**
- ☐ 4000K WHITE (WH) **AZ4606**
- ☒ 4000K BLACK (BK) **AZ4605**



2.2

B

**SAGA TRACK MAGNETIC 24W MILKY120**

3000K / 4000K

LED integrated 

voltage: 48V

IP20

technical

specification



LED 24W 1100lm 3000K

LED 24W 1200lm 4000K

installation: Track Magnetic – 52 or 27

beam angle: 120°



COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) **AZ4608**
- ☒ 3000K BLACK (BK) **AZ4607**
- ☐ 4000K WHITE (WH) **AZ4610**
- ☒ 4000K BLACK (BK) **AZ4609**



2.2

B

**SAGA TRACK MAGNETIC 36W MILKY120**

3000K / 4000K

LED integrated 

voltage: 48V

IP20

technical

specification



LED 36W 1800lm 3000K

installation: Track Magnetic – 52 or 27

beam angle: 120°



COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ4612**
- ☒ BLACK (BK) **AZ4611**



2.2


B



WH

BK





SAGA TRACK MAGNETIC CORNER A 24W MILKY120 3000K / 4000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 24W 1200lm 3000K

LED 24W 1300lm 4000K


LED

installation: Track Magnetic – 52 or 27

beam angle: 120°

COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) **AZ4614**
- ☐ 3000K BLACK (BK) **AZ4613**
- ☐ 4000K WHITE (WH) **AZ4616**
- ☐ 4000K BLACK (BK) **AZ4615**



SAGA TRACK MAGNETIC CORNER B 24W MILKY120 3000K / 4000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 24W 1200lm 3000K

LED 24W 1300lm 4000K



LED

installation: Track Magnetic – 52 or 27

beam angle: 120°

COLOUR / NEW INDEX NO.


- ☐ 3000K WHITE (WH) **AZ4618**
- ☐ 3000K BLACK (BK) **AZ4617**
- ☐ 4000K WHITE (WH) **AZ4620**
- ☐ 4000K BLACK (BK) **AZ4619**





Track type – 52 mm





KIRA TRACK MAGNETIC 12W POINTS60

3000K / 4000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 12W 750lm 3000K

LED 12W 800lm 4000k



installation: Track Magnetic – 52 or 27

beam angle: 60°

LED

COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) **AZ4596**
- ☒ 3000K BLACK (BK) **AZ4595**
- ☐ 4000K WHITE (WH) **AZ4598**
- ☒ 4000K BLACK (BK) **AZ4597**



KIRA TRACK MAGNETIC 24W POINTS60

3000K / 4000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 24W 1300lm 3000K

LED 24W 1400lm 4000K


installation: Track Magnetic – 52 or 27

beam angle: 60°

LED

COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) **AZ4600**
- ☒ 3000K BLACK (BK) **AZ4599**
- ☐ 4000K WHITE (WH) **AZ4602**
- ☒ 4000K BLACK (BK) **AZ4601**



Track Magnetic



GO/BK *

NIKKI TRACK MAGNETIC 3W 3000K

LED integrated

voltage: 48V

IP20

technical
specification

LED 3W 350lm 3000K


LED

installation: Track Magnetic – 52 or 27

beam angle: 40°

COLOUR / NEW INDEX NO.

- BLACK / BLACK (BK/BK) **AZ4589**
- GOLD / BLACK (GO/BK) **AZ4591**
- WHITE / BLACK (WH/BK) **AZ4590**



BK/BK *

NIKKI 2 TRACK MAGNETIC 3W 3000K

LED integrated

voltage: 48V

IP20

technical
specification

LED 2x3W 350lm 3000K


LED

installation: Track Magnetic – 52 or 27

beam angle: 40°

COLOUR / NEW INDEX NO.

- BLACK / BLACK (BK/BK) **AZ4592**
- GOLD / BLACK (GO/BK) **AZ4594**
- WHITE / BLACK (WH/BK) **AZ4593**



* - EXPLANATION SHORTCUT PAGE 2 (E)

Azzardo®



WH/BK *

NIKO TRACK MAGNETIC 7W 3000K / 4000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 7W 550lm 3000K

LED 7W 600lm 4000K

installation: Track Magnetic – 52 or 27

beam angle: 30°



COLOUR / NEW INDEX NO.



4000K GOLD / BLACK (GO/BK) . . . **AZ4583**

3000K BLACK / BLACK (BK/BK) . . . **AZ4579**

3000K WHITE / BLACK (WH/BK) . . . **AZ4580**

4000K BLACK / BLACK (BK/BK) . . . **AZ4581**

4000K WHITE / BLACK (WH/BK) . . . **AZ4582**



GO/BK *

NIKO 2 TRACK MAGNETIC 7W 3000K / 4000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 2x7W 550lm 3000K

LED 2x7W 600lm 4000K

installation: Track Magnetic – 52 or 27

beam angle: 30°



COLOUR / NEW INDEX NO.



3000K GOLD / BLACK (GO/BK) . . . **AZ4588**

3000K BLACK / BLACK (BK/BK) . . . **AZ4584**


3000K WHITE / BLACK (WH/BK) . . . **AZ4585**

4000K BLACK / BLACK (BK/BK) . . . **AZ4586**

4000K WHITE / BLACK (WH/BK) . . . **AZ4587**



Track Magnetic


ALDO TRACK MAGNETIC 12W MILKY120
 3000K

LED integrated

voltage: 48V

IP20

technical
specification

LED 12W 900lm 3000K


LED

installation: Track Magnetic – 52 or 27

beam angle: 120°


COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ4626**
☒ BLACK (BK) **AZ4625**

ROTATION POSSIBLE WITH
TRACK MAGNETIC27 ONLY

TILT 90°

ROTATION 360°


ALDO TRACK MAGNETIC 12W POINTS60
 3000K / 4000K

LED integrated

voltage: 48V

IP20

technical
specification

LED 12W 1300lm 3000K

LED 12W 1300lm 4000K


LED

installation: Track Magnetic – 52 or 27

beam angle: 60°

COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) **AZ4622**
☒ 3000K BLACK (BK) **AZ4621**
☐ 4000K WHITE (WH) **AZ4624**
☒ 4000K BLACK (BK) **AZ4623**

ROTATION POSSIBLE WITH
TRACK MAGNETIC27 ONLY


TILT 90°

ROTATION 350°

* - EXPLANATION SHORTCUT PAGE 2 (E)



WH *



WH

BK

SKYE TRACK MAGNETIC PENDANT 12W 3000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 12W 1200lm 3000K

LED


installation: Track Magnetic – 52 or 27

beam angle: 60°

COLOUR / NEW INDEX NO.

WHITE (WH) **AZ4637**

BLACK (BK) **AZ4636**



TILT 60°





ELIN TRACK MAGNETIC 7W 3000K / 4000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 7W 850lm 3000K

LED 7W 850lm 4000K

installation: Track Magnetic – 52 or 27

beam angle: 190°


LED

COLOUR / NEW INDEX NO.

	3000K BLACK (BK)	AZ4630
--	------------------	-------	---------------

	3000K GOLD (GO)	AZ4632
--	-----------------	-------	---------------

	4000K BLACK (BK)	AZ4631
--	------------------	-------	---------------





GO *

ELSA TRACK MAGNETIC 7W 3000K / 4000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 7W 700lm 3000K

LED 7W 700lm 4000K

installation Track Magnetic – 52 or 27

beam angle: 190°


LED

COLOUR / NEW INDEX NO.

3000K BLACK (BK) **AZ4633**

3000K GOLD (GO) **AZ4635**

4000K BLACK (BK) **AZ4634**



GO

BK





BK *

MAYA TRACK MAGNETIC 3W 3000K

LED integrated

voltage: 48V

LED 3W 250lm 3000K

IP20

LED

technical


installation Track Magnetic – 52 or 27

specification

beam angle: 190°



COLOUR / NEW INDEX NO.

 BLACK (BK) **AZ4629**




GO *

KORI TRACK MAGNETIC 5W 3000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 5W 500lm 3000K

LED


installation: Track Magnetic – 52 or 27

beam angle: 40°

COLOUR / NEW INDEX NO.

BLACK (BK) **AZ4627**

GOLD (GO) **AZ4628**





SETS FOR TRACK MAGNETIC

SETS FOR

Track Magnetic




- 78** TRACK MAGNETIC SET 1 M
- 80** TRACK MAGNETIC SET 1,5 M
- 81** TRACK MAGNETIC SET 2 M
- 85** TRACK MAGNETIC SET 3 M

TRACK MAGNETIC SET 1 M



Sets for Track Magnetic



52M1031BK-AZ4798

track magnetic 1m, 3000K, black



52M1031WH-AZ4799

track magnetic 1m, 3000K, white

TRACK MAGNETIC SET 1M 3000K / 4000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 26W 1120lm 3000K

LED 26W 1815lm 4000K

installation: Track Magnetic

pendant with AZ4828 or AZ4829

LED

COLOUR / NEW INDEX NO.

	3000K BLACK (BK)	AZ4798	(52M1031BK)
	3000K WHITE (BK)	AZ4799	(52M1031WH)
	4000K BLACK (BK)	AZ4800	(52M1041BK)
	4000K WHITE (BK)	AZ4801	(52M1041WH)


Set specification:

AZ4798 = AZ4638 + AZ4669 + AZ4652 + 2x AZ4603

AZ4799 = AZ4639 + AZ4670 + AZ4653 + 2x AZ4604

AZ4800 = AZ4638 + AZ4669 + AZ4652 + 2x AZ4605

AZ4801 = AZ4639 + AZ4670 + AZ4653 + 2x AZ4606



*** Ceiling Plate + Wire

** Track Magnetic Suspension Kit 2m





52M1032BK-AZ4802
track magnetic 1m, 3000K, black



52M1032WH-AZ4803
track magnetic 1m, 3000K, white

TRACK MAGNETIC SET 1M 3000K / 4000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 26W 2022lm 3000K

LED 26W 1930lm 4000K

installation: Track Magnetic

pendant with AZ4828 or AZ4829




COLOUR / NEW INDEX NO.

3000K BLACK (BK)	AZ4802	(52M1032BK)
3000K WHITE (BK)	AZ4803	(52M1032WH)
4000K BLACK (BK)	AZ4804	(52M1042BK)
4000K WHITE (BK)	AZ4805	(52M1042WH)

* Ceiling Plate + Wire

** Track Magnetic Suspension Kit 2m



Set specification:

AZ4802 = AZ4638 + AZ4669 + AZ4652 + 2x AZ4584

AZ4803 = AZ4639 + AZ4670 + AZ4653 + 2x AZ4585

AZ4804 = AZ4638 + AZ4669 + AZ4652 + 2x AZ4586

AZ4805 = AZ4639 + AZ4670 + AZ4653 + 2x AZ4587



TRACK MAGNETIC SET 1,5 M



Sets for Track Magnetic



52M1531BK-AZ4806
track magnetic 1,5 m, 3000K, black



52M1531BK/GO-AZ4807
track magnetic 1,5 m, 3000K, black/gold

TRACK MAGNETIC SET 1,5M

3000K / 4000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 41W 2905lm 3000K

LED 41W 2910lm 4000K

installation: Track Magnetic

pendant with AZ4828 or AZ4829


LED

COLOUR / NEW INDEX NO.

	3000K BLACK (BK)	AZ4806	(52M1531BK)
	3000K BLACK/GOLD (BK/GO).	AZ4807	(52M1531BK/GO)
	3000K WHITE/GOLD (WH/GO).	AZ4808	(52M1531WH/GO)
	4000K BLACK (BK)	AZ4809	(52M1541BK)



52M1531WH/GO-AZ4808
track magnetic 1,5 m, 3000K, white/gold



Set specification:

AZ4806 = AZ4640 + AZ4669 + AZ4652 + AZ4607+2x AZ4630

AZ4807 = AZ4640 + AZ4669 + AZ4652 + AZ4607+2x AZ4632

AZ4808 = AZ4641 + AZ4670 + AZ4653 + AZ4608+2x AZ4632

AZ4809 = AZ4640 + AZ4671 + AZ4652 + AZ4609+2x AZ4631



ELIN TRACK MAGNETIC 7W 3000K GOLD



52M2031BK-AZ4810
track magnetic 2m, 3000K, black



52M2031WH-AZ4811
track magnetic 2m, 3000K, white

TRACK MAGNETIC SET 2M 3000K / 4000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 51W 3131lm 3000K

LED 53W 3041lm 4000K


installation: Track Magnetic

pendant with AZ4828 or AZ4829



COLOUR / NEW INDEX NO.

■ 3000K BLACK (BK)	AZ4810	(52M2031BK)
□ 3000K WHITE (BK)	AZ4811	(52M2031WH)
■ 4000K BLACK (BK)	AZ4812	(52M2041BK)
□ 4000K WHITE (BK)	AZ4813	(52M2041WH)



- * Ceiling Plate + Wire
- ** Track Magnetic Suspension Kit 2m

Set specification:

AZ4810 = AZ4642 + AZ4671 + AZ4652 + AZ4607+2x AZ4584

AZ4811 = AZ4643 + AZ4672 + AZ4653 + AZ4608+2x AZ4585

AZ4812 = AZ4642 + AZ4671 + AZ4652 + AZ4609+2x AZ4586

AZ4813 = AZ4643 + AZ4672 + AZ4653 + AZ4610+2x AZ4587



NIKO 2 TRACK MAGNETIC 2x7W 3000K WH/BK



NIKO 2 TRACK MAGNETIC 2x7W 3000K BK/BK

TRACK MAGNETIC SET 1,5 M



Track Magnetic



52M2032BK-AZ4814

track magnetic 2m, 3000K, black



52M2032WH-AZ4815

track magnetic 2m, 3000K, white

TRACK MAGNETIC SET 2M 3000K / 4000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 69W 3533lm 3000K

LED 69W 3609lm 4000K

installation: Track Magnetic

pendant with AZ4828 or AZ4829

LED

COLOUR / NEW INDEX NO.

	3000K BLACK (BK)	AZ4814	(52M2032BK)
	3000K WHITE (BK)	AZ4815	(52M2032WH)
	4000K BLACK (BK)	AZ4816	(52M2042BK)
	4000K WHITE (BK)	AZ4817	(52M2042WH)

Set specification:

AZ4814 =

AZ4642 + AZ4671 + AZ4652 + AZ4607+2x AZ4579 + 2xAZ4595

AZ4815 =


AZ4643 + AZ4672 + AZ4653 + AZ4608+2x AZ4580 + 2xAZ4596

AZ4816 =

AZ4642 + AZ4671 + AZ4652 + AZ4609+2x AZ4581+ 2xAZ4597

AZ4817 =

AZ4643 + AZ4672 + AZ4653 + AZ4610+2x AZ4582+ 2xAZ4598



- * Ceiling Plate + Wire
- ** Track Magnetic Suspension Kit 2m

NIKO TRACK MAGNETIC 7W 3000K WH/BK



KIRA TRACK MAGNETIC 12W POINTS60 3000K WH



NIKO TRACK MAGNETIC 7W 3000K BK/BK



KIRA TRACK MAGNETIC 12W POINTS60 3000K BK





52M2034BK-AZ4820
track magnetic 2m, 3000K, black



52M2034WH-AZ4821
track magnetic 2m, 3000K, white

TRACK MAGNETIC SET 2M 3000K

LED integrated	
voltage: 48V	LED 51W 3131lm 3000K
IP20	
technical	installation: Track Magnetic
specification	pendant with AZ4828 or AZ4829

COLOUR / NEW INDEX NO.

	3000K BLACK (BK) AZ4820	(52M2034BK)
	3000K WHITE (BK) AZ4821	(52M2034WH)


Set specification:

AZ4820 =

AZ4642 + AZ4671 + AZ4652 + AZ4607+2x AZ4589+ AZ4592

AZ4821 =

AZ4643 + AZ4672 + AZ4653 + AZ4608+2x AZ4590 + AZ4593



- * Ceiling Plate + Wire
- ** Track Magnetic Suspension Kit 2m



TRACK MAGNETIC SET 1,5 M



Sets for Track Magnetic



52M2033BK/GO-AZ4818

track magnetic 2m, 3000K, black/gold



52M2033WH/GO-AZ4819

track magnetic 2m, 3000K, white/gold

TRACK MAGNETIC SET 2M 3000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 53W 3540lm 3000K

LED

installation: Track Magnetic

pendant with AZ4828 or AZ4829

COLOUR / NEW INDEX NO.

3000K BLACK/GOLD (BK/GO). . . . **AZ4818**

(52M2033BK/GO)


3000K WHITE/GOLD (WH/GO). . . . **AZ4819**

(52M2033WH/GO)

Set specification:

AZ4818 = AZ4642 + AZ4671 + AZ4652 + AZ4607+2x AZ4588

AZ4819 = AZ4643 + AZ4672 + AZ4653 + AZ4608+2x AZ4588



* Ceiling Plate + Wire

** Track Magnetic Suspension Kit 2m






52M3031BK-AZ4822
track magnetic 3m, 3000K, black



52M3031WH-AZ4823
track magnetic 3m, 3000K, white

TRACK MAGNETIC SET 3M 3000K

LED integrated 

voltage: 48V	LED 156W 8722lm 3000K	
IP20	installation: Track Magnetic	
technical	pendant with A74828 or A74829	
specification		

COLOUR / NEW INDEX NO.

3000K BLACK (BK)	AZ4822	(52M3031BK)
3000K WHITE (BK)	AZ4823	(52M3031WH)

Set specification:

AZ4822=


AZ4644 + AZ4673 + AZ4652 + 2 X AZ4604 + AZ4611 + 4 X AZ4621

AZ4823=

AZ4645 + AZ4674 + AZ4653 + 2 X AZ4605 + AZ4612 + 4 X AZ4522



ALDO TRACK MAGNETIC 12W POINTS60 3000K BK



- * Ceiling Plate + Wire
- ** Track Magnetic Suspension Kit 2m




ALDO TRACK MAGNETIC 12W POINTS60 3000K WH

TRACK MAGNETIC SET 3 M



Sets for Track Magnetic



52M3032BK-AZ4824

track magnetic 3m, 3000K, black



52M3032WH-AZ4825

track magnetic 3m, 3000K, white

TRACK MAGNETIC SET 3M 3000K / 4000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 145W 7332lm 3000K

LED 120W 6316lm 4000K

installation: Track Magnetic

pendant with AZ4828 or AZ4829

LED

COLOUR / NEW INDEX NO.

	3000K BLACK (BK)	AZ4824	(52M3032BK)
	3000K WHITE (BK)	AZ4825	(52M3032WH)
	4000K BLACK (BK)	AZ4826	(52M3042BK)
	4000K WHITE (BK)	AZ4827	(52M3042WH)

Set specification:

AZ4824 =

AZ4644 + AZ4673 + AZ4652 + 2 X AZ4603 + AZ4611 + 2 X AZ4579 + 2 X AZ4584

AZ4825 =

AZ4645 + AZ4674 + AZ4653 + 2 X AZ4604 + AZ4612 + 2 X AZ4580 + 2 X AZ4585

AZ4826 =

AZ4644 + AZ4673 + AZ4652 + 2 X AZ4605 + AZ4609 + 2 X AZ4581 + 2 X AZ4586

AZ4827 =

AZ4645 + AZ4674 + AZ4653 + 2 X AZ4606 + AZ4610 + 2 X AZ4582 + 2 X AZ4587



NIKO 2 TRACK MAGNETIC 7W 3000K WH/BK




NIKO TRACK MAGNETIC 7W 3000K WH/BK



NIKO TRACK MAGNETIC 7W 3000K BK/BK



NIKO 2 TRACK MAGNETIC 7W 3000K BK/BK



- * Ceiling Plate + Wire
- ** Track Magnetic Suspension Kit 2m

